EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	"6654801"	USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/07 23:58
L2	2	"6654801".pn.	USPAT; EPO; JPO; DERWENT	OR	OFF	2007/01/08 00:47
L3	3074	(remot$ near5 (node or computer or device or service or client or apparatus) with (access$3 near5 network$3))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 00:49
L4	1	(remot$ near5 (node or computer or device or service or client or apparatus) with (access$3 near5 network$3)) with ((network$ or system) near5 fail$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 00:51
L5	16	(remot$ near5 (node or computer or device or service or client or apparatus) with (access$3 near5 network$3)) same ((network$ or system) near5 fail$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 00:51
L6	4	(remot$ near5 (node or computer or device or service or client or apparatus) with (access$3 near5 network$3)) same ((network$ or system) near5 fail$3) and ((transmit$4 or send$3 or forward$3) near5 (messag$3 or information or signal or data or commandor instruction)) with server	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 00:53
L7	4	(remot$ near5 (node or computer or device or service or client or apparatus) with (access$3 near5 network$3)) same ((network$ or system) near5 fail$3) and (((transmit$4 or send$3 or forward$3) near5 (messag$3 or information or signal or data or commandor instruction)) with server)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 01:52
L8	149	(upon near5 fail$) with ((transmit$4 or forward$3 or send$3)near5 (messag$3 or content or data information)) with (client or node or device or apparatus or computer)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 02:38

L9	3	(upon near5 fail$) with ((transmit$4 or forward$3 or send$3)near5 (messag$3 or content or data information)) with (remot$ near5 (client or node or device or apparatus or computer))	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 01:55
L10	0	(upon near5 fail$) with ((transmit$4 or forward$3 or send$3)near5 (messag$3 or content or data information)) with (remot$ near5 (client or node or device or apparatus or computer)) with server	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 01:54
L11	0	(upon near5 fail$) with ((transmit$4 or forward$3 or send$3)near5 (messag$3 or content or data information)) with (remot$ near5 (client or node or device or apparatus or computer)) with (server or host)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 01:54
L12	1	(upon near5 fail$) with ((transmit$4 or forward$3 or send$3)near5 (messag$3 or content or data information)) with (remot$ near5 (client or node or device or apparatus or computer)) with (server or host or network or service)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 01:54
L13	14	(upon near5 fail$) with ((transmit$4 or forward$3 or send$3)near5 (messag$3 or content or data information)) with (client or node or device or apparatus or computer) same server	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 02:38
L14	5	(upon near5 fail$) with ((transmit$4 or forward$3 or send$3)near5 (messag$3 or content or data information)) with (client or node or device or apparatus or computer) same server and (solution)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 02:39
L15	5	(upon near5 fail$) with ((transmit$4 or forward$3 or send$3)near5 (messag$3 or content or data information)) with (client or node or device or apparatus or computer) same server and (solution or resolv$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2007/01/08 02:39

| L16 | 5 | (upon near5 fail$) with ((transmit$4 or forward$3 or send$3)near5 (messag$3 or content or data information)) with (client or node or device or apparatus or computer) same server and (solution or resolv$3 or solv$3) | USPAT; EPO; JPO; DERWENT | OR | ON | 2007/01/08 02:39 |